



FCAR FTP-100

Easy TPMS Programming Tool for Mobile Devices

FCAR FTP-100 is a high-performance TPMS programming tool compatible with both Android, iOS devices and FCAR diagnostic scanners. Covered by industrial hybrid glass fabric, FT-100 features IP67 water resistance and dust resistance. It features customized Freescale chipset compatible with both 315MHz and 433MHz dual bands. To simplify unnecessary procedures, FCAR has developed a dedicated APP with straightforward instructions and easy operations. Customers will also enjoy life-time free update from FCAR. There is multi-language support for global users.



315&433MHz
dual bands



Multi-language
support



Water&dust
resistance



Android&iOS
compatible



800mAh high-
density battery



High Performance

- Freescale chipset for fast programming;
- Unlimited times for programming;
- Customized antennas with high stability;
- High capacity batteries for longer lifespan.

Top Built Quality

- Industrial hybrid glass fabric exterior;
- Real IP67-rating water and dust resistance;
- Laser welding and PCB protective painting;
- Excellent durability and sealability.

Wide Adaptation

- For Android, iOS mobile devices;
- Compatible with FCAR diagnostic tablets;
- 315MHz and 433MHz dual bands;
- With Bluetooth connection;
- Support Asian, European and American cars.

Multi-Language Support



Chinese



English




Russian



Spanish


Easy Operations

Three simple methods for programming




Choose car model

1




Activate original sensor

2




Copy original sensor


3




Create ID for new sensor



Program new sensor



Program new sensor



Self learning

Coverage

Abarth, Acura, Alfa Romeo, Alpina, Aston Martin, Audi, BAIC, Bentley, BlueSG, BMW, BORGWARD, Brilliance Zhonghua, Bugatti, Buick, BYD, Cadillac, ChangAn, Chery Chevrolet, Chrysler, Citroen, Dacia, Daewoo, Daihatsu, DFM, Dodge, DORCEN, FAW Ferrari, Fiat, Ford, Geely, GMC, GreatWall, HaiMa, HanTeng, Haval, Hawtai, Holden Honda, HSV, Hummer, Hyundai, Infiniti, Isuzu, JAC, Jaguar, Jeep, Jetour, JMC, KARRY KIA, Lada, Lamborghini, Lancia, Land Rover, LandWind, Leopaard, Lexus, Lifan, Lincoln Lotus, Luxgen, Mahindra, MAN, Maserati, MAXUS, Maybach, Mazda, McLaren, Mercedes Mercury, MG, Mini, Mitsubishi, Nissan, Oldsmobile, Opel, Peugeot, Pontiac, Porsche Qoros, Renault, Renault Samsung, Retrofit, Roewe, Rolls Royce, Saab, Saturn, Scion, Seat, SGAUTO, SGMW, Skoda, Smart, Soueast, Ssangyong, Subaru, Suzuki, SWM, Tesla, Toyota, TRAUM, Trumpchi, Vauxhall, Venucia, Volkswagen, Volvo, YEMA, ZOTYE, ZXAUTO

Specifications

Battery: 800mAh Li-polymer

Connection: Bluetooth, Micro USB

Button: Activate, Back, Power

Indicator: Communication indicator, Battery status indicator

Buzzer: Built-in

Dimension: 118*78*24mm

Package: Communication box*1, TPMS sensor*4, Micro USB cable*1

